

AMC (American Motors)

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							with open case
AMX							
	Rear Axle						
	1968 - 1970	AMC	AMC 20	29	12	V8	1710
	1968 - 1971	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
	1978	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
Concord							
	Rear Axle						
	1978 - 1979	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
	1978 - 1979	AMC	AMC 20	29	12	V8	1710
Eagle							
	Front Axle (see notice at end of page 2)						
	1980 - 1988	DANA	Model 30	27	10		2210
	Rear Axle						
	1980 - 1988	DANA	Model 35	27	10	All	2310S2
Full size							
	Rear Axle						
	1965 - 1978	AMC	AMC 20	29	12	V8	1710
	1962 - 1978	DANA	Model 35	27	10		2310S2
Gremlin							
	Rear Axle						
	1970 - 1978	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
	1970 - 1978	AMC	AMC 20	29	12	V8	1710
Hornet							
	Rear Axle						
	1970 - 1977	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
	1970 - 1977	AMC	AMC 20	29	12	V8	1710
Javelin							
	Rear Axle						
	1971 - 1974	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
Marlin							
	Rear Axle						
	1965 - 1967	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
Pacer							
	Rear Axle						
	1975 - 1979	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
Spirit							
	Rear Axle						
	1979	DANA	Model 35	27	10	4 & 6 Cyl.	2310S2
Hummer							
	Front Axle (see notice at end of page 2)						
	1991 - 2000	AMC	AMC 20	29	12	Requires new differential case	1710
	Rear Axle						
	1991 - 2000	AMC	AMC 20	29	12	Requires new differential case	1710

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

BUICK

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
All Passenger Models (Unless listed separately below)							
Rear Axle							
	1996	GM	8.5" rg	28	10		1920
	1977 - 1985	GM	7.5" rg	26	10		1930
	1971 - 1983	GM	8.875" rg	30	12		1910
	1973 - 1976	GM	8.875" rg	31		Station Wagon	
	1965 - 1970	GM	8.2" rg	28	10		
Apollo							
Rear Axle							
	1973 - 1975	GM	8.5" rg	28	10		1920
Century							
Rear Axle							
	1978 - 1981	GM	7.5" rg	26	10		1930
	1977	GM	8.875" rg	30	12		1910
	1973 - 1977	GM	8.5" rg	28	10		1920
	1973 - 1976	GM	8.875" rg	31		Station Wagon	
Regal							
Rear Axle							
	1978 - 1987	GM	7.5" rg	26	10		1930
	1973 - 1987	GM	8.5" rg	28	10		1920
Riviera							
Rear Axle							
	1977 - 1978	GM	8.5" rg	28	10		1920
	1977 - 1978	GM	8.875" rg	30	12		1910
	1975 - 1976	GM	8.875" rg	31		Station Wagon	
	1971 - 1975	GM	9.375" rg				
	1965 - 1970	GM	8.2" rg	28	10		
Skyhawk							
Rear Axle							
	1975 - 1980	GM	7.5" rg	26	10		1930
	1976 - 1977	GM	6.5" rg				
Skylark							
Rear Axle							
	1978 - 1987	GM	7.5" rg	26	10		1930
	1973 - 1987	GM	8.5" rg	28	10		1920
Special							
Rear Axle							
	1971 - 1972	GM	8.5" rg	28	10		1920
	1970	GM	8.875" rg	30	12		1910
	1964 - 1970	GM	8.2" rg	28	10		

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

CADILLAC

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
All Passenger Models (Unless listed separately below)							
Rear Axle							
	1991 - 1996	GM	8.5" rg	28	10		1920
	1991 - 1996	GM	9.5" rg	33	14		1950
	1988 - 1990	GM	7.625" rg	26	10	w/o Towing	1932
	1987 - 1990	GM	8.5" rg	28	10	Towing/Armored opt.	1920
	1985 - 1987	GM	7.5" rg	26	10	w/o Towing	1930
	1984	GM	8.5" rg	28	10	Round cover	1920
	1982 - 1984	GM	7.5" rg	26	10	DeVile/Fleetwood Brougham	1930
	1977 - 1984	GM	8.875" rg	30	12	Comercial Chassis	1910
	1977 - 1983	GM	8.875" rg	30	12	Deville cutout cover	1910
	1977 - 1982	GM	8.875" rg	30	12	Fleetwood Brougham	1910
	1970 - 1976	GM					
Seville							
Rear Axle							
	1976 - 1979	GM	8.5" rg	28	10		1920
Escalade							
Front Axle (see notice at bottom of page)							
	1999 - 2000	GM	8.2" rg	28		IFS w/6 Lug	
	1999 - 2000	GM	9.2" rg	33		IFS w/turbo diesel	1950
Rear Axle							
	1999 - 2000	GM	8.5" rg	30	10		1921

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

CHEVROLET

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
All Passenger Models (Unless listed separately below)							
Rear Axle							
	1994 - 1996	GM	7.625" rg	28	10	V6	1931
	1971 - 1996	GM	8.5" rg	28	10	V8	1920
	1975 - 1993	GM	7.5" rg	26	10	V6	1930
	1977 - 1983	GM	8.875" rg	30	12	V8-396 Eng.or larger	1910
	1971 - 1976	GM	8.875" rg	31	12	Station Wagon	
	1965 - 1970	GM	8.2" rg	28	10		1940
	1965 - 1970	GM	8.875" rg	30	12	V8-396 Eng.or larger	1910
Camaro							
Rear Axle							
	1993 - 2000	ZEXEL				Z28/Y87	
	1990 - 2000	GM	7.625" rg	28	10	V6	1931
	1987 - 1989	GM	7.75" rg		9	V8 w/o Z87- L/S ONLY	
	1987 - 1989	GM	7.625" rg	26	10	V6	1932
	1985 - 1986	GM	7.625" rg	26	10	All	1932
	1982 - 1984	GM	7.5" rg	26	10	4 cyl/V6	1930
	1971 - 1981	GM	8.5" rg	28	10	All	1920
	1967 - 1970	GM	8.875" rg	30	12	V8	1910
	1967 - 1970	GM	8.2" rg	28	10	6 cyl	1940
Caprice							
Rear Axle							
	1973 - 1975	GM	8.875" rg	31	12	Police & SW	
	1971 - 1975	GM	8.5" rg	28	10		1920
	1966 - 1970	GM	8.875" rg	30	12		1910
	1966 - 1970	GM	8.2" rg	28	10		1940
Chevelle							
Rear Axle							
	1973 - 1977	GM	8.5" rg	28	10		1920
	1973 - 1976	GM	8.875" rg	31	12	Police & SW	
	1964 - 1972	GM	8.2" rg	28	10		1940
	1964 - 1972	GM	8.875" rg	30	12	SS	1910
Chevy II							
Rear Axle							
	1962 - 1967	GM	8.875" rg	30	12	w/396 or larger eng.	1910
	1962 - 1967	GM	8.2" rg	28	10		1940
Corvette							
Rear Axle							
	1980 - 2000	DANA	Model 44	30			
Impala							
Rear Axle							
	1994 - 1996	GM	8.5" rg	30	10	SS	1921
	1973 - 1975	GM	8.875" rg	31	12	Police & SW	
	1971 - 1975	GM	8.5" rg	28	10		1920
	1960 - 1970	GM	8.2" rg	28	10		1940
	1960 - 1970	GM	8.875" rg	30	12	SS	1910

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
Malibu							
Rear Axle							
	1978 - 1987	GM	7.5" rg	26	10		1930
Monte Carlo							
Rear Axle							
	1973 - 1975	GM	8.5" rg	28	10		1920
	1970 - 1972	GM	8.875" rg	30	12		1910
	1970 - 1972	GM	8.2" rg	28	10		1940
Monza							
Rear Axle							
	1975 - 1980	GM	7.5" rg	26	10		1930
	1976 - 1977	GM	6.5" rg				
Nova							
Rear Axle							
	1964 - 1971	GM	8.875" rg	30	12	w/396 or larger eng.	1910
	1972 - 1975	GM	8.5" rg	28	10		1920
	1964 - 1971	GM	8.2" rg	28	10		1940
Vega							
Rear Axle							
	1976 - 1977	GM	6.5" rg				
	1975 - 1977	GM	7.5" rg	26	10		1930

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

CHEVROLET

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Astro							
Front Axle (see notice at end of page 4)							
	1990 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1990 - 2000	GM	7.625" rg	28	10	4WD	1931
	1985 - 1989	GM	7.5" rg	26	10	JM4	1930
Blazer (S-10)							
Front Axle (see notice at end of page 4)							
	1983 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	1921
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	1931
	1983 - 1995	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	1930
Blazer (Full size)							
Front Axle (see notice at end of page 4)							
	1994	GM	9.2" rg	33		IFS w/turbo diesel	1950
	1992 - 1994	GM	8.2" rg	28		IFS w/6 lug	
	1989 - 1991	GM	8.5" rg	30	10	Beam Axle	1921
	1979 - 1988	GM	8.5" rg	28	10	Beam Axle	1920
	1969 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
Rear Axle							
	1992 - 1994	GM	9.5" rg	33	14	All w/14 bolt cover	1950
	1989 - 1994	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1982 - 1988	GM	8.5" rg	28	10		1920
	1969 - 1981	GM	8.875" rg	30	12		1910
El Camino							
Rear Axle							
	1976 - 1987	GM	7.5" rg	26	10		1930
	1973 - 1975	GM	8.5" rg	28	10		1920
	1964 - 1972	GM	8.2" rg	28	10		1940
	1964 - 1972	GM	8.875" rg	30	12		1910
LUV							
Rear Axle							
	1979 - 1982	ISUZU		17			3111
Pick-Up (S-10)							
Front Axle (see notice at end of page 4)							
	1983 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	1921
	1996 - 2000	GM	7.625" rg	28	10	All	1931
	1988 - 1995	GM	7.625" rg	28	10	4WD V6	1931
	1983 - 1995	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	1930

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Pick-Up (½-ton)							
Front Axle (see notice at end of page 4)							
	1988 - 2000	GM	8.2" rg	28		IFS 6 Lug	
	1978 - 1984	GM	8.5" rg	28	10	See cover ID chart	1920
	1963 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
Rear Axle							
	1988 - 2000	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1988 - 2000	GM	9.5" rg	33	14	All w/14 bolt cover	1950
	1978 - 1988	GM	8.5" rg	28	10	See cover ID chart	1920
	1969 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
	1969 - 1977	DANA	Model 44	30	10	See cover ID chart	2410
	1968 - 1972	DANA	Model 44	30	10		2410
Pick-Up (¾-ton)							
Front Axle (see notice at end of page 4)							
	1989 - 2000	GM	9.2" rg	33		IFS w/8 lug	1950
	1988 - 2000	GM	8.2" rg	28		IFS w/6 lug	
	1989 - 1991	GM	8.5" rg	30	10	Beam Axle	1921
	1978 - 1988	GM	8.5" rg	28	10	VIN R-or-V Only	1920
	1968 - 1980	DANA	Model 44	30		See cover ID chart	2410
Rear Axle							
	1973 - 2000	GM	9.5" rg	33	14	Semi-floating axle	1950
	1973 - 2000	GM	10.5" rg	30	14	FF Axle	1955
	1991	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1975 - 1977	DANA	Model 60	35	10	See cover ID chart	2620
	1965 - 1974	DANA	Model 60	30	10	Semi-floating axle	2610
Pick-Up (1-ton)							
Front Axle (see notice at end of page 4)							
	1988 - 2000	GM	9.2" rg	33		IFS VIN C/K	1950
	1977 - 1991	DANA	Model 60	35	10	VIN R-or-V	2620
Rear Axle							
	1992 - 2000	DANA	Model 80	37	10	HD opt	2811
	1989 - 2000	GM	9.5" rg	33	14	Canada,SF Axle	1950
	1973 - 2000	GM	10.5" rg	30	14	w/14 bolt cover	1955
	1990 - 1991	ROCKWELL	12" rg			HD opt	
	1973 - 1991	DANA	Model 70	35	10	All w/10 bolt cover	2710
Silverado							
Front Axle (see notice at end of page 4)							
	1999 - 2000						
Rear Axle							
	1999 - 2000	GM	8.6" rg	30	10		

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Suburban (½-ton)							
Front Axle (see notice at end of page 4)							
	1994 - 2000	GM	9.2" rg	33		IFS w/turbo diesel	1950
	1992 - 2000	GM	8.2" rg	28		IFS w/o turbo diesel	
	1990 - 1991	GM	8.5" rg	30	10	Beam axle	1921
	1977 - 1989	GM	8.5" rg	28	10		1920
	1965 - 1980	DANA	Model 44	30	10		2410
	1965 - 1968	DANA	Model 60	35	10	10 Series HD Only	2620
Rear Axle							
	2000	GM	8.6" rg	30	10		
	1992 - 1999	GM	9.5" rg	33	14	All w/14 bolt cover	1950
	1989 - 1999	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1978 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	1920
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
	1965 - 1972	DANA	Model 60	30	10		2610
	1965 - 1968	DANA	Model 44	30	10		2410
Suburban (¾-ton)							
Front Axle (see notice at end of page 4)							
	1992 - 2000	GM	8.2" rg	28		IFS w/6 lug	
	1992 - 2000	GM	9.2" rg	33		IFS w/8 lug	1950
	1989 - 1991	GM	8.5" rg	30	10	Beam axle	1921
	1978 - 1988	GM	8.5" rg	28	10	Beam axle	1920
	1963 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
Rear Axle							
	2000	GM	8.6" rg	30	10		
	1981 - 1999	GM	9.5" rg	33	14	SF Axle w/14 bolt cover	1950
	1973 - 1999	GM	10.5" rg	30	14	FF Axle w/14 bolt cover	1955
	1989 - 1991	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1977 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	1920
	1969 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
	1968 - 1980	DANA	Model 60	30	10	See cover ID chart	2610
Tahoe							
Front Axle (see notice at end of page 4)							
	1994 - 2000	GM	9.2" rg	33		IFS w/turbo diesel	1950
	1992 - 2000	GM	8.2" rg	28		IFS w/6 Lug	
Rear Axle							
	1992 - 2000	GM	8.5" rg	30	10		1921
Vans (½-ton)							
Rear Axle							
	1989 - 2000	GM	8.5" rg	30	10	All	1921
	1979 - 1988	GM	8.5" rg	28	10	All	1920
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
	1964 - 1971	GM	8.2" rg	28	10	All w/10 bolt cover	1940

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
Vans (¾-ton)							
Rear Axle							
	1996 - 2000	GM	9.5" rg	33	14	SF Axle, w/14 bolt cover	1950
	1996 - 1998	GM	10.5" rg	30	14	FF Axle, w/14 bolt cover	1955
	1989 - 1996	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1979 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	1920
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
Vans (1-ton)							
Rear Axle							
	1983 - 2000	GM	9.5" rg	33	14	SF Axle, w/14 bolt cover	1950
	1973 - 1998	GM	10.5" rg	30	14	FF Axle, w/14 bolt cover	1955
	1975 - 1991	DANA	Model 70	35	10	DRW 7500 gvw	2710
	1974 - 1991	DANA	Model 60	35	10	DRW 6200 gvw	2620

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

CHRYSLER

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
All Passenger Models (Unless listed separately below)							
Rear Axle							
	1982 - 1989	CHRYSLER	7.25" rg	25	10	Sq. Cover	
	1972 - 1989	CHRYSLER	8.25" rg	27	10		1230
	1974 - 1981	CHRYSLER	9.25" rg	31	12		1220
	1957 - 1973	CHRYSLER	8.75" rg	30	10		1240
	1967	CHRYSLER	9.25" rg	31	12		1220
Cordoba							
Rear Axle							
	1980 - 1983	CHRYSLER	7.25" rg	25	10		
	1975 - 1983	CHRYSLER	8.25" rg	27	10		1230
	1975 - 1979	CHRYSLER	9.25" rg	31	12		1220
Imperial							
Rear Axle							
	1981 - 1983	CHRYSLER	8.25" rg	27	10		1230
	1974 - 1975	CHRYSLER	9.25" rg	31	12		1220
	1957 - 1973	CHRYSLER	8.75" rg	30	10		1240
LeBaron							
Rear Axle							
	1977 - 1981	CHRYSLER	7.25" rg	25	9		
	1977 - 1981	CHRYSLER	8.25" rg	27	10		1230

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

DODGE

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
All Passenger Models (Unless listed separately below)							
Rear Axle							
	1973 - 1981	CHRYSLER	9.25" rg	31	12		1220
	1969 - 1981	CHRYSLER	8.25" rg	27	10		1230
	1962 - 1974	CHRYSLER	8.75" rg	30	10		1240
	1966 - 1971	CHRYSLER	7.25" rg	25	9	6 Cyl	
	1966 - 1970	DANA	Model 60	30	10	RT/SuperBee/V8-426/440	2610
	1968	CHRYSLER	9.25" rg	31	12	Polar/Monaco	1220
	1962 - 1965	CHRYSLER	8.25" rg	27	10	6 Cyl	1230
Aspen							
Rear Axle							
	1976 - 1980	CHRYSLER	7.25" rg	25	9		
	1976 - 1980	CHRYSLER	8.25" rg	27	10		1230
Challenger							
Rear Axle							
	1970 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier	1240
	1970 - 1971	DANA	Model 60	30	10	V8-426/440	2610
	1970 - 1971	CHRYSLER	7.25" rg	25	9		
Charger							
Rear Axle							
	1974 - 1978	CHRYSLER	9.25" rg	31	12		1220
	1969 - 1978	CHRYSLER	8.25" rg	27	10	V8-318/400	1230
	1966 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier	1240
	1966 - 1972	DANA	Model 60	30	10	V8-426/440	2610
	1968 - 1970	CHRYSLER	7.25" rg	25	9		
Dart							
Rear Axle							
	1973 - 1976	CHRYSLER	8.25" rg	27	10		1230
	1963 - 1976	CHRYSLER	7.25" rg	25	9	66-72 N/R Carrier	
	1966 - 1972	CHRYSLER	8.75" rg	30	10		1240
	1966 - 1970	CHRYSLER	8.75" rg	30	10	All w/Removable carrier	1240
Diplomat							
Rear Axle							
	1977 - 1989	CHRYSLER	7.25" rg	25	9		
	1977 - 1989	CHRYSLER	8.25" rg	27	10		1230
Magnum							
Rear Axle							
	1979	CHRYSLER	8.25" rg	27	10	V8-318	1230
	1979	CHRYSLER	9.25" rg	31	12	V8-360	1220
Marada							
Rear Axle							
	1980 - 1983	CHRYSLER	8.25" rg	27	10	V8	1230
	1980 - 1983	CHRYSLER	7.25" rg	25	10	6 Cyl	

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Viper							
Rear Axle							
	1992 - 2000	DANA	Model 44	30			

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

DODGE

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
Dakota							
Front Axle (see notice at end of page 3)							
	1997 - 2000	DANA	Model 35	27	10		2311S2
Rear Axle							
	1997 - 2000	CHRYSLER	8.25" rg	29	10	L/S std.	
	1987 - 1998	CHRYSLER	7.25" rg	25	10	Octagon cover	
	1987 - 1996	CHRYSLER	8.25" rg	27	10	Round cover/L/S std. 94 up	1230
Durango							
Front Axle (see notice at end of page 3)							
	1998 - 2000	DANA	Model 35	27	10		2311S2
Rear Axle							
	1998 - 2000	CHRYSLER	8.25" rg	29	10	V6	
	1998 - 2000	CHRYSLER	9.25" rg	31	12	V8	1220
Pick-Up (1/2-ton)							
Front Axle (see notice at end of page 3)							
	1969 - 2000	DANA	Model 44	30	10		2410
	1967 - 1968	DANA	Model 44	19	10		2413
Rear Axle							
	1995 - 2000	CHRYSLER	9.25" rg	31	12		1220
	1981 - 1994	CHRYSLER	9.25" rg	31	12		1220
	1971 - 1993	CHRYSLER	8.25" rg	27	10		1230
	1967 - 1974	CHRYSLER	8.75" rg	30	10	w/Removable carrier	1240
Pick-Up (3/4-ton)							
Front Axle (see notice at end of page 3)							
	1981 - 2000	DANA	Model 44	30	10		2410
	1975 - 2000	DANA	Model 60	30	10	90"x20" Snow Commander	2620
	1989 - 1993	DANA	Model 70	32	10	96"x27" Snow Commander	2711
	1971 - 1974	DANA	Model 70	35	10		2720
	1967 - 1968	DANA	Model 44	19	10	std.	2413
Rear Axle							
	1994 - 2000	DANA	Model 70	32	10	FF Axle, V10&Dies, Auto	2711
	1994 - 2000	DANA	Model 80	37	10	FF Axle, V10 & Diesel	2811
	1983 - 2000	DANA	Model 60	30	10	FF Axle, V8, Man Trans	2610
	1995 - 2000	CHRYSLER	9.25" rg	31	12	SF Axle, V8, Auto Trans	1220
	1981 - 1994	CHRYSLER	9.25" rg	31	12	SF Axle, V8, Auto Trans	1220
Pick-Up (1-ton & 1 1/2-ton)							
Front Axle (see notice at end of page 3)							
	1975 - 2000	DANA	Model 60	30	10		2620
	1971 - 1974	DANA	Model 70	32	10	96"x27" Snow Commander	2711
Rear Axle							
	1994 - 2000	DANA	Model 80	35	10		2810
	1981 - 1993	DANA	Model 60	30	10	6200 gvw	2610
	1977 - 1993	DANA	Model 70	32	10	7500 gvw	2711
	1971 - 1974	DANA	Model 70	32	10		2711

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
Ramcharger							
Front Axle (see notice at end of page 3)							
	1974 - 1993	DANA	Model 44	30	10		2410
Rear Axle							
	1974 - 1993	CHRYSLER	9.25" rg	31	12		1220
Van 100							
Rear Axle							
	1974 - 1980	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1971 - 1980	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	1230
	1964 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier	1240
Van 150							
Rear Axle							
	1981 - 1994	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	1230
	1984	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1982	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
Van 200							
Rear Axle							
	1974 - 1980	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1971 - 1980	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	1230
	1971 - 1974	CHRYSLER	8.75" rg	30	10	All w/Removable carrier	1240
Van 250							
Rear Axle							
	1992 - 1994	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1984	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1981 - 1984	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	1230
	1982	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
Van 300							
Rear Axle							
	1971 - 1980	DANA	Model 60	35	10	All	2620
Van 350							
Rear Axle							
	1984 - 1994	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1981 - 1994	DANA	Model 60	35	10	All w/10 bolt cover	2620
Van 1500							
Rear Axle							
	1997 - 2000	CHRYSLER	8.25" rg	29	10	All w/10 bolt cover	
	1995 - 1996	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	1230
Van 2500							
Rear Axle							
	1997 - 2000	CHRYSLER	8.25" rg	29	10	All w/10 bolt cover	
	1995 - 2000	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220
	1995 - 1996	CHRYSLER	8.25" rg	27	10	All w/10 bolt cover	1230
Van 3500							
Rear Axle							
	1995 - 2000	DANA	Model 60	30	10	All w/10 bolt cover	2610
	1995 - 2000	CHRYSLER	9.25" rg	31	12	All w/12 bolt cover	1220

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

FORD

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Fairlane							
Rear Axle							
	1962 - 1970	FORD	8" rg	28	10	302 or smaller eng.	1810
	1962 - 1970	FORD	9" rg	28	10	V8-351W/390/428/289 Spcl	1810
	1962 - 1968	FORD	7.25" rg			N/R Carrier	
Fairmont							
Rear Axle							
	1978 - 1983	FORD	7.5" rg	28	10		1830
	1979 - 1982	FORD	6.75" rg		8	4 Cyl.	
Granada							
Rear Axle							
	1981 - 1982	FORD	7.5" rg	28	10		1830
	1975 - 1980	FORD	9" rg	28	10		1810
	1975 - 1980	FORD	8" rg	28	10		1810
	1975 - 1976	FORD	8.75" rg	28	10		1810
LTD							
Rear Axle							
	1983 - 1986	FORD	7.5" rg	28	10		1830
LTD II							
Rear Axle							
	1977 - 1979	FORD	9" rg	28	10		1810
Maverick							
Rear Axle							
	1970 - 1977	FORD	8" rg	28	10		1810
	1971	FORD	7.25" rg			N/R Carrier	
Mustang							
Rear Axle							
	1999 - 2000	FORD	8.8" rg	31	10	Cobra	1821
	1986 - 2000	FORD	8.8" rg	28	10	All V8 Exc. 99-00 Cobra	1820
	1979 - 2000	FORD	7.5" rg	28	10	All V6	1830
	1986 - 1998	FORD	8.8" rg	31	10	GT, after market axle	1821
	1986	FORD	8.8" rg	28	10	GT	1820
	1979 - 1982	FORD	6.75" rg		8	4 Cyl	
	1964 - 1978	FORD	8" rg	28	10	V8 289/302	1810
	1965 - 1973	FORD	9" rg	31	10	after market axle	1810
	1965 - 1973	FORD	9" rg	28	10	V8 351W/390/427/428/289 special	1810
Pinto							
Rear Axle							
	1978 - 1980	FORD	6.75" rg		8	4 Cyl	
	1975 - 1980	FORD	8" rg	28	10	6 Cyl	1810
Thunderbird							
Rear Axle							
	1987 - 1989	FORD	8.8" rg	28	10	GT, V8, V6 Turbo	1820
	1980 - 1997	FORD	7.5" rg	28	10	exc. Turbo, V8	1830
	1957 - 1979	FORD	9" rg	28	10		1810
	1957 - 1979	FORD	9" rg	31	10	after market axle	1810

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

FORD

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Aerostar							
Front Axle (see notice at end of page 4)							
	1990 - 1997	DANA	Model 28	23	10		2116
Rear Axle							
	1990 - 1997	FORD	8.8" rg	31	10	4.0/4.9 V6	1822
	1986 - 1997	FORD	7.5" rg	28	10	3.0/4cyl Fill plug in Housing	1830
	1986 - 1990	DANA	Model 30	27	10	3.0/4cyl Fill plug in Cover	2210
Bronco II							
Front Axle (see notice at end of page 4)							
	1984 - 1991	DANA	Model 28	23	12		2116
Rear Axle							
	1984 - 1991	FORD	7.5" rg	28	10		1830
Bronco (Full size)							
Front Axle (see notice at end of page 4)							
	1994 - 1996	DANA	Model 44	30	10	IFS	2410
	1971 - 1993	DANA	Model 44	30	10		2410
Rear Axle							
	1987 - 1996	FORD	8.8" rg	31	10		1822
	1983 - 1986	FORD	8.8" rg	31	10		1821
	1976 - 1986	FORD	9" rg	31	10		1810
	1966 - 1976	FORD	9" rg	28	10		1810
	1966 - 1970	DANA	Model 30	27	10		2210
Excursion							
Rear Axle							
	2000	FORD	10.5" rg	35	10	See cover ID chart	
Expedition							
Front Axle (see notice at end of page 4)							
	1997 - 2000	DANA	Model 44	30	10		2410
Rear Axle							
	1997 - 2000	FORD	8.8" rg	31	10	4.6 eng	1822
	1997 - 2000	FORD	9.75" rg	34	10	5.4 eng	
Explorer							
Front Axle (see notice at end of page 4)							
	1995 - 2000	DANA	Model 35	27	10	IFS	2311S2
	1991 - 1994	DANA	Model 28	23	12		2116
Rear Axle							
	1991 - 2000	FORD	8.8" rg	31	10	See cover ID chart	1822

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Splines Count	Cover Bolts	Special Notes	Lock-Right
							Open
Pick-Up (F100 & F150)							
Front Axle (see notice at end of page 4)							
	1994 - 2000	DANA	Model 44	30		IFS	2410
	1967 - 1993	DANA	Model 44	30	10		2410
	1957 - 1966	DANA	Model 44	19	10		2413
Rear Axle							
	1998 - 2000	FORD	9.75" rg	34	10	5.4	
	1987 - 2000	FORD	8.8" rg	31	10	4.2/4.6 manual transmission	1822
	1983 - 1986	FORD	8.8" rg	31	10		1821
	1976 - 1986	FORD	9" rg	31	10		1810
	1959 - 1986	FORD	9" rg	35	10	w/spec hi-perf 35 spl axles	
	1977 - 1979	DANA	Model 44	30	10	See cover ID chart	2410
	1959 - 1977	FORD	9" rg	28	10		1810
Pick-Up (F250)							
Front Axle (see notice at end of page 4)							
	1997 - 2000	DANA	Model 44	30	10	IFS under 8500 gvw	2410
	1997 - 2000	DANA	Model 50	30		IFS over 8500 gvw	2510
	1985 - 1996	DANA	Model 44	30	10	Beam axle under 8500 gvw	2410
	1975 - 1996	DANA	Model 60	35	10	See cover ID chart 4500 Axle	2620
	1980 - 1990	DANA	Model 50	30	10	Beam axle over 8500 gvw	2510
	1969 - 1973	DANA	Model 44	30	10		2410
Rear Axle							
	1996 - 2000	FORD	9.75" rg	34	10	See cover ID chart	
	1999 - 2000	FORD	10.5" rg	35	12	See cover ID chart (3 pinion)	
	1985 - 1998	FORD	10.25" rg	35	12	See cover ID chart (2 pinion)	1840
	1995 - 1996	DANA	Model 60	32	10	See cover ID chart	
	1983 - 1996	FORD	8.8" rg	31	10		1822
	1983 - 1985	DANA	Model 70	35	10		2710
	1980 - 1985	DANA	Model 61	30	10	Semi-floating axle	
	1980 - 1985	DANA	Model 60	30	10	Semi-floating axle	2610
	1969 - 1979	DANA	Model 60	30	10	Semi-floating axle	2610
Pick-Up (F250 Super-Duty)							
Rear Axle							
	1999 - 2000	FORD	10.5" rg	35	12	See cover ID chart (3 pinion)	
	1985 - 2000	FORD	10.25" rg	35	12	See cover ID chart (2 pinion)	1840
Pick-Up (F350)							
Front Axle (see notice at end of page 4)							
	1974 - 1997	DANA	Model 60	35	10		2620
	1980 - 1985	DANA	Model 50	30	10	Beam axle	2510
	1981	DANA	Model 44	30	10		2410
Rear Axle							
	1985 - 1998	FORD	10.25" rg	35	12	See cover ID chart (2 pinion)	1840
	1980 - 1985	DANA	Model 70	35	10		2710
	1980 - 1985	DANA	Model 60	30	10	Semi-floating axle	2610
	1975 - 1981	DANA	Model 61	30	10		
	1974 - 1979	DANA	Model 60	30	10		2610

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Splines Count	Cover Bolts	Special Notes	Lock-Right
							Open
Pick-Up (F350 Super-Duty)							
Front Axle (see notice at end of page 4)							
	1998 - 2000	DANA	Model 60	35	10		2620
Rear Axle							
	1999 - 2000	FORD	10.5" rg	35	10	See cover ID chart (3 pinion)	
	1998 - 2000	DANA	Model 80	35	10		2810
Pick-Up (F450 Super-Duty)							
Front Axle (see notice at end of page 4)							
	1988 - 2000	DANA	Model 60	35	10		2620
Rear Axle							
	1988 - 2000	DANA	Model 80	37	10		2811
Ranger							
Front Axle (see notice at end of page 4)							
	1997 - 2000	DANA	Model 35	27	10	IFS & ABS	2311S2
	1987 - 1997	DANA	Model 35	27	10	IFS	2310S2
	1983 - 1997	DANA	Model 28	23	12		2116
Rear Axle							
	1987 - 1994	FORD	8.8" rg	28	10	4.0/4.9 eng	1821
	1983 - 2000	FORD	7.5" rg	28	10	2.5/2.9/3.0 eng	1830
	1984 - 1986	FORD	8.8" rg	31	10	4.0 engine	1821
Vans (1/2-ton)							
Rear Axle							
	1997 - 2000	FORD	9.75" rg	34	10	5.4 eng	
	1987 - 2000	FORD	8.8" rg	31	10	w/ Removeable Carrier	1822
	1965 - 1987	FORD	9" rg	31	10	w/ Non-Removeable Carrier	1810
Vans (3/4-ton)							
Rear Axle							
	1997 - 2000	FORD	9.75" rg	34	10		
	1980 - 2000	DANA	Model 60	30	10	Semi-floating axle	2610
	1987 - 1996	FORD	8.8" rg	31	10	See cover ID chart	1822
	1979 - 1987	DANA	Model 61	30	10	See cover ID chart	
	1983 - 1986	FORD	8.8" rg	31	10	See cover ID chart	1821
	1968 - 1974	FORD	9" rg	31	10		1810
Vans (1-ton)							
Rear Axle							
	1997 - 2000	FORD	9.75" rg	34	10	See cover ID chart	
	1980 - 2000	DANA	Model 60	30	10	Semi-floating axle	2610
	1975 - 2000	DANA	Model 70	35	10	See cover ID chart	2710
	1995 - 1996	DANA	Model 60	32	10		
	1979 - 1987	DANA	Model 61	30	10	See cover ID chart	
	1968 - 1974	DANA	Model 60	35	10		2620
Van (Super-Duty)							
Rear Axle							
	1996 - 2000	DANA	Model 80	37	10		2811

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax No-Slip Traction System works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Powertrax No-Slip Traction System should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Powertrax No-Slip Traction System on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

GMC

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Jimmy (S15)							
Front Axle (see notice at end of page 4)							
	1991 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	1921
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	1931
	1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	1930
Jimmy (Full size)							
Front Axle (see notice at end of page 4)							
	1994	GM	9.2" rg	33		IFS w/turbo diesel	1950
	1992 - 1994	GM	8.2" rg	28		IFS w/6 lug	
	1989 - 1991	GM	8.5" rg	30	10	Beam Axle	1921
	1979 - 1988	GM	8.5" rg	28	10	Beam Axle	1920
	1969 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
Rear Axle							
	1992 - 1994	GM	9.5" rg	33	14	All w/14 bolt cover	1950
	1989 - 1994	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1982 - 1988	GM	8.5" rg	28	10		1920
	1969 - 1981	GM	8.875" rg	30	12		1910
Pick-Up (1/2-ton)							
Front Axle (see notice at end of page 4)							
	1988 - 2000	GM	9.2" rg	33		All w/turbo diesel	1950
	1988 - 2000	GM	8.2" rg	28		IFS 6 Lug	
	1978 - 1984	GM	8.5" rg	28	10	See cover ID chart	1920
	1963 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
Rear Axle							
	1988 - 2000	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1988 - 2000	GM	9.5" rg	33	14	All w/14 bolt cover	1950
	1978 - 1988	GM	8.5" rg	28	10	See cover ID chart	1920
	1969 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
	1969 - 1977	DANA	Model 44	30	10	See cover ID chart	2410
	1968 - 1972	DANA	Model 44	30	10		2410
Pick-Up (3/4-ton)							
Front Axle (see notice at end of page 4)							
	1989 - 2000	GM	9.2" rg	33	14	IFS w/8 lug	1950
	1988 - 2000	GM	8.2" rg	28	10	IFS w/6 lug	
	1989 - 1991	GM	8.5" rg	30	10	Beam Axle	1921
	1978 - 1988	GM	8.5" rg	28	10	VIN # R/V	1920
	1968 - 1980	DANA	Model 44	30		See cover ID chart	2410
Rear Axle							
	1973 - 2000	GM	9.5" rg	33	14	Semi-floating axle	1950
	1973 - 2000	GM	10.5" rg	30	14	Full-floating Axle	1955
	1975 - 1977	DANA	Model 60	35	10	See cover ID chart	2620
	1965 - 1974	DANA	Model 60	30	10	See cover ID chart	2610

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Pick-Up (1-ton)							
Front Axle (see notice at end of page 4)							
	1988 - 2000	GM	9.2" rg	33		IFS w/VIN # C/K	1950
	1977 - 1991	DANA	Model 60	35	10	VIN # R/V	2620
Rear Axle							
	1992 - 2000	DANA	Model 80	37	10	HD opt	2811
	1989 - 2000	GM	9.5" rg	33	14	Canada,SF Axle	1950
	1973 - 2000	GM	10.5" rg	30	14	w/14 bolt cover	1955
	1973 - 1991	DANA	Model 70	35	10	All w/10 bolt cover	2710
S15							
Front Axle (see notice at end of page 4)							
	1991 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	1921
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	1931
	1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	1930
Safari							
Front Axle (see notice at end of page 4)							
	1990 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1990 - 2000	GM	7.625" rg	28	10		1931
	1985 - 1989	GM	7.5" rg	26	10		1930
Sierra							
Front Axle (see notice at end of page 4)							
	1999 - 2000						
Rear Axle							
	1999 - 2000	GM	8.6" rg	30	10		
Sonoma							
Front Axle (see notice at end of page 4)							
	1991 - 2000	GM	7.2" rg	26			1935
Rear Axle							
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	1921
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	1931
	1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	1930
Suburban (1/2-ton)							
Front Axle (see notice at end of page 4)							
	1992 - 1999	GM	8.2" rg	28		IFS w/o turbo die	
	1989 - 1991	GM	8.5" rg	30	10	Beam axle	1921
	1977 - 1988	GM	8.5" rg	28	10		1920
	1965 - 1980	DANA	Model 44	30	10		2410
	1965 - 1968	DANA	Model 60	35	10	10 series only - Heavy Duty	2620
Rear Axle							
	1992 - 2000	GM	9.5" rg	33	14	All w/14 bolt cover	1950
	2000	GM	8.6" rg	30	10	All w/10 bolt cover	
	1989 - 1999	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1978 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	1920
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
	1965 - 1972	DANA	Model 60	30	10		2610
	1965 - 1968	DANA	Model 44	30	10		2410

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Suburban (¾-ton)							
Front Axle (see notice at end of page 4)							
	1992 - 2000	GM	9.2" rg	33		IFS w/8 lug	1950
	1992 - 1999	GM	8.2" rg	28		IFS w/6 lug	
	1989 - 1991	GM	8.5" rg	30	10	Beam axle	1921
	1978 - 1988	GM	8.5" rg	28	10	Beam axle	1920
	1963 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
Rear Axle							
	2000	GM	8.6" rg	30	10		
	1981 - 1999	GM	9.5" rg	33	14	SF Axle w/14 bolt cover	1950
	1973 - 1999	GM	10.5" rg	30	14	FF Axle w/14 bolt cover	1955
	1989 - 1991	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1977 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	1920
	1969 - 1980	DANA	Model 44	30	10	See cover ID chart	2410
	1968 - 1980	DANA	Model 60	30	10	See cover ID chart	2610
Vans (½-ton)							
Rear Axle							
	1999 - 2000						
	1989 - 1998	GM	8.5" rg	30	10	All	1921
	1979 - 1988	GM	8.5" rg	28	10	All	1920
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
	1964 - 1971	GM	8.2" rg	28	10	All w/10 bolt cover	1940
Vans (¾-ton)							
Rear Axle							
	1999 - 2000						
	1996 - 1998	GM	10.5" rg	30	14	FF Axle, w/14 bolt cover	1955
	1996 - 1998	GM	9.5" rg	33	14	SF Axle, w/14 bolt cover	1950
	1989 - 1996	GM	8.5" rg	30	10	All w/10 bolt cover	1921
	1979 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	1920
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	1910
Vans (1-ton)							
Rear Axle							
	1999 - 2000						
	1983 - 1998	GM	9.5" rg	33	14	SF Axle, w/14 bolt cover	1950
	1973 - 1998	GM	10.5" rg	30	14	FF Axle, w/14 bolt cover	1955
	1975 - 1991	DANA	Model 70	35	10	DRW 7500 gvw	2710
	1974 - 1991	DANA	Model 60	35	10	DRW 6200 gvw	2620
Yukon							
Front Axle (see notice at end of page 4)							
	1994 - 1999	GM	9.2" rg	33		IFS w/turbo diesel	1950
	1992 - 1999	GM	8.2" rg	28		IFS w/6 Lug	
Rear Axle							
	1992 - 1999	GM	8.5" rg	30	10		1921
Yukon XL - Suburban							
Front Axle (see notice at end of page 4)							
	2000	GM					
Rear Axle							
	2000	GM	8.6" rg	30	10		

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

HONDA

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right with open case
Passport							
Rear Axle							
	1996 - 1999	GM	7.625" rg	28	10	4 cyl & 2WD	1931
	1994 - 1998	DANA	Model 44	30	10	V6	2410
	1994 - 1995	GM	7.5" rg	26	10	4 cyl & 2WD	1930

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

IHC (International Harvester)

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Scout							
Front Axle (see notice at bottom of page)							
	1961 - 1971	DANA	Model 27	10	10		2115
Rear Axle							
	1967 - 1971	DANA	Model 44	19	10		2413
	1961 - 1967	DANA	Model 27	10	10		2115
Scout II							
Front Axle (see notice at bottom of page)							
	1972 - 1980	DANA	Model 44	30	10		2410
Rear Axle							
	1968 - 1980	DANA	Model 44	30	10		2410

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

ISUZU

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Amigo							
	Rear Axle						
	1998 - 2000	GM	7.625" rg	28	10	2WD	1931
	1998 - 2000	DANA	Model 44	30	10	4WD	2410
Hombre							
	Front Axle (see notice at bottom of page)						
	1996 - 1999	GM	7.2" rg	26			1935
	Rear Axle						
	1996 - 1999	GM	7.625" rg	28	10	2WD	1931
P'up							
	Rear Axle						
	1990 - 1994	GM	7.5" rg	26	10	2WD U.S. Built	1930
Rodeo							
	Front Axle (see notice at bottom of page)						
	1998 - 2000	DANA	Model 44	30	10	IFS	2410
	Rear Axle						
	1993 - 2000	DANA	Model 44	30	10		2410
	1991 - 1992	ISUZU		26		4WD (Japan)	
	1991 - 2000	GM	7.625" rg	28	10	4cyl & 2WD	1931
Trooper							
	Rear Axle						
	1984 - 1987	ISUZU		17			3111
	1988 - 1991	ISUZU		26			

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

JEEP

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Cherokee XJ							
Front Axle (see notice at bottom of page 3)							
	1984 - 2000	DANA	Model 30	27	10		2210
Rear Axle							
	1997 - 2000	CHRYSLER	8.25" rg	29	10		
	1994 - 1997	DANA	Model 35	27	10	Trac-Lok standard	2311S2
	1991 - 1996	CHRYSLER	8.25" rg	27	10		1230
	1987 - 1993	DANA	Model 44	30	10	(metric ton or towing opt)	2410
	1990 - 1993	DANA	Model 35	27	10		2310S2
	1984 - 1989	DANA	Model 35	27	10		2310S2
CJ-2A							
Front Axle (see notice at bottom of page 3)							
	1945 - 1949	DANA	Model 25	10	10		2110
Rear Axle							
	1945 - 1949	DANA	Model 41	10	10		2416
CJ-3A							
Front Axle (see notice at bottom of page 3)							
	1948 - 1953	DANA	Model 25	10	10		2110
Rear Axle							
	1949 - 1953	DANA	Model 44	10	10		2415
	1948	DANA	Model 41	10	10		2416
CJ-3B							
Front Axle (see notice at bottom of page 3)							
	1964 - 1968	DANA	Model 27	10	10		2115
	1952 - 1964	DANA	Model 25	10	10		2110
Rear Axle							
	1966 - 1968	DANA	Model 44	19	10		2413
	1952 - 1965	DANA	Model 44	10	10		2415
CJ-5							
Front Axle (see notice at bottom of page 3)							
	1972 - 1983	DANA	Model 30	27	10		2210
	1966 - 1971	DANA	Model 27	10	10		2115
	1955 - 1965	DANA	Model 25	10	10		2110
Rear Axle							
	1976 - 1983	AMC	AMC 20	29	12		1710
	1971 - 1975	DANA	Model 44	30	10		2410
	1966 - 1970	DANA	Model 44	19	10	Thru mid 70	2413
	1955 - 1965	DANA	Model 44	10	10		2415

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Splines Count	Cover Bolts	Special Notes	Lock-Right
							Open
CJ-6							
Front Axle (see notice at bottom of page 3)							
	1972 - 1975	DANA	Model 30	27	10		2210
	1966 - 1971	DANA	Model 27	10	10		2115
	1958 - 1965	DANA	Model 25	10	10		2110
Rear Axle							
	1971 - 1975	DANA	Model 44	30	10		2410
	1966 - 1970	DANA	Model 44	19	10		2413
	1958 - 1965	DANA	Model 44	10	10		2415
CJ-7							
Front Axle (see notice at bottom of page 3)							
	1976 - 1986	DANA	Model 30	27	10		2210
Rear Axle							
	1976 - 1986	AMC	AMC 20	29	12		1710
CJ-8 Scrambler							
Front Axle (see notice at bottom of page 3)							
	1981 - 1985	DANA	Model 30	27	10		2210
Rear Axle							
	1981 - 1985	AMC	AMC 20	29	12		1710
Comanche							
Front Axle (see notice at bottom of page 3)							
	1986 - 1992	DANA	Model 30	27	10		2210
Rear Axle							
	1986 - 1992	DANA	Model 35	27	10		2310S2
	1986 - 1992	DANA	Model 44	30	10		2410
	1986	AMC	AMC 20	29	12		1710
Grand Cherokee ZJ							
Front Axle (see notice at bottom of page 3)							
	1993 - 2000	DANA	Model 35	27	10	Select-Trac	2311S2
	1993 - 2000	DANA	Model 30	27	10	Command-Track	2210
	1980 - 1987	DANA	Model 44	30	10		2410
Rear Axle							
	1999 - 2000	DANA	Model 44	30	10	Special case	
	1993 - 2000	DANA	Model 35	27	10	See cover ID chart	2311S2
	1997 - 1998	CHRYSLER	8.25" rg	29	10		
	1995 - 1998	DANA	Model 44	30	10	See cover ID chart	2410
	1993 - 1996	CHRYSLER	8.25" rg	27	10		1230
	1986 - 1987	DANA	Model 44	30	10	See cover ID chart	2410
	1980 - 1986	AMC	AMC 20	29	12		1710

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Wrangler TJ & YJ							
Front Axle (see notice at bottom of page 3)							
	1997 - 2000	DANA	Model 30	27	10		2210
Rear Axle							
	1997 - 2000	DANA	Model 44	30	10	Special case	
	1994 - 2000	DANA	Model 35	27	10		2311S2
	1990 - 1993	DANA	Model 35	27	10		2310S2
	1987 - 1989	DANA	Model 35	27	10		2310S2

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

JEEP

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Splines Count	Cover Bolts	Special Notes	Lock-Right
							Open
Grand Wagoneer							
Front Axle (see notice at bottom of page 2)							
	1993	DANA	Model 44	30		IFS	2410
	1984 - 1991	DANA	Model 44	30	10		2410
Rear Axle							
	1993	DANA	Model 35	27	10		2310S2
	1986 - 1991	DANA	Model 44	30	10		2410
	1984 - 1986	AMC	AMC 20	29	12		1710
J Pick-Up							
Front Axle (see notice at bottom of page 2)							
	1962 - 1972	DANA	Model 44	30	10		2410
Rear Axle							
	1971 - 1972	DANA	Model 60	30	10		2610
	1962 - 1970	DANA					
	1962 - 1968	DANA	Model 70	35	10	Dual Rear Wheel	2710
J-10 Pick-up							
Front Axle (see notice at bottom of page 2)							
	1973 - 1988	DANA	Model 44	30	10		2410
Rear Axle							
	1973 - 1988	DANA	Model 44	30	10		2410
	1979 - 1986	AMC	AMC 20	29	12		1710
J-20 Pick-up							
Front Axle (see notice at bottom of page 2)							
	1973 - 1988	DANA	Model 44	30	10		2410
Rear Axle							
	1986 - 1988	AMC	AMC 20	29	12		1710
	1973 - 1988	DANA	Model 44	30	10	See cover ID chart	2410
Jeepster Commando							
Front Axle (see notice at bottom of page 2)							
	1972 - 1973	DANA	Model 30	27	10		2210
	1967 - 1971	DANA	Model 27	10	10		2115
Rear Axle							
	1967 - 1973	DANA	Model 44	30	10		2410
	1967 - 1970	DANA	Model 30	27	10		2210
Pick-Up							
Front Axle (see notice at bottom of page 2)							
	1980 - 1987	DANA	Model 44	30	10		2410
Rear Axle							
	1995 - 2000	DANA	Model 44	30	10		2410
	1993 - 2000	DANA	Model 35	27	10		2311S2
	1997 - 1999	CHRYSLER	8.25" rg	29	10		
	1993 - 1996	CHRYSLER	8.25" rg	27	10		1230
	1986 - 1987	DANA	Model 44	30	10		2410
	1980 - 1986	AMC	AMC 20	29	12		1710

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Wagoneer SJ							
Front Axle (see notice at bottom of page 2)							
	1974 - 1991	DANA	Model 44	30	10		2410
	1973	DANA	Model 30	27	10		2210
	1962 - 1972	DANA	Model 27	10	10		2115
Rear Axle							
	1971 - 1990	DANA	Model 44	30	10	See cover ID chart	2410
	1984 - 1990	DANA	Model 35	27	10		2310S2
	1962 - 1968	DANA	Model 44	19	10		2413

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

LEXUS

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
LX-450							
Front Axle (see notice at bottom of page)							
	1996 - 2000	TOYOTA	8" rg	30			1610
Rear Axle							
	1996 - 2000	TOYOTA	8.875" rg	30	12		1630
LX-470							
Front Axle (see notice at bottom of page)							
	1999 - 2000						
Rear Axle							
	1999 - 2000						

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

LINCOLN

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
Continental							
Rear Axle							
	1982 - 1987	FORD	7.5" rg	28	10	6 Cyl.	1830
	1982 - 1987	FORD	8.8" rg	28	10	8 Cyl	1821
LS							
Rear Axle							
	2000						
Mark Series							
Rear Axle							
	1993 - 2000	FORD	7.5" rg	28	10		1830
	1980 - 1997	FORD	8.8" rg	28	10	4.0 engine or larger	1821
	1984 - 1987	FORD	7.5" rg	28	10		1830
	1968 - 1979	FORD	9" rg	28	10		1810
Town Car							
Rear Axle							
	1980 - 2000	FORD	8.8" rg	28	10		1821
	1966 - 1979	FORD	9" rg	28	10		1810
Navigator							
Front Axle (see notice at bottom of page)							
	1998 - 2000	DANA	Model 44	30		IFS	2410
Rear Axle							
	1998 - 2000	FORD	9.75" rg	34	10		

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

MAZDA

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Navajo							
Front Axle (see notice at bottom of page)							
	1991 - 1994	DANA	Model 28	23	12		
Rear Axle							
	1991 - 1994	FORD	8.8" rg	31	10		1822
Pick-Up							
Front Axle (see notice at bottom of page)							
	1998 - 2000	DANA	Model 35	27	10		2311S2
	1991 - 1994	DANA	Model 28	23	12		
Rear Axle							
	1994 - 2000	FORD	8.8" rg	31	10	4.0 V6	1822
	1994 - 2000	FORD	7.5" rg	28	10	3.0 V6	1830

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

MERCURY

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Bobcat							
Rear Axle							
	1975 - 1980	FORD	8" rg	28	10	6 Cyl	1810
	1975 - 1980	FORD	6.75" rg			4 Cyl	
Capri							
Rear Axle							
	1986	FORD	8.8" rg	28	10	V8	1821
	1979 - 1986	FORD	7.5" rg	28	10	6 Cyl	1830
	1979 - 1982	FORD	6.75" rg				
	1970 - 1978	FORD					
Comet							
Rear Axle							
	1964 - 1977	FORD	8" rg	28	10	302 or smaller eng.	1810
	1966 - 1969	FORD	9" rg	28	10	V8-351W/390/427/428	1810
	1964 - 1968	FORD	7.25" rg	28	8	6 Cyl	
Cougar							
Rear Axle							
	1988 - 1998	FORD	8.8" rg	31	10	GT, after market axle	1821
	1986 - 1997	FORD	8.8" rg	28	10	All V8	1821
	1979 - 1997	FORD	7.5" rg	28	10	All V6	1830
	1979 - 1982	FORD	7.25" rg	28	8	4 Cyl	
	1969 - 1979	FORD	9" rg	28	10	V8-390/427/428	1810
	1969 - 1979	FORD	9" rg	31	10	after market axle	1810
	1967 - 1978	FORD	8" rg	28	10	V8 289/302	1810
Marquis							
Rear Axle							
	1986	FORD	7.5" rg	28	10	V6	1830
Monarch							
Rear Axle							
	1975 - 1980	FORD	8" rg	28	10		1810
	1975 - 1980	FORD	9" rg	28	10	V8-351W/400/460	1810
	1975 - 1976	FORD	8.75" rg	28	10	V8-351W/400/460	1810
Montego							
Rear Axle							
	1970 - 1976	FORD	9" rg	28	10	V8-351W/400/460	1810
	1970 - 1974	FORD	8" rg	28	10	V8-351M	1810
Versailles							
Rear Axle							
	1977 - 1980	FORD	9" rg	28	10		1810

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Zephyr							
Rear Axle							
	1978 - 1983	FORD	7.5" rg	28	10	6 Cyl.	1830
	1979 - 1982	FORD	6.75" rg			4 Cyl	
Front Axle (see notice at end of page 2)							
	1997 - 2000	DANA	Model 35	27	10		2311S2
Rear Axle							
	1997 - 2000	FORD	8.8" rg	31	10		1822
Mountaineer							
Front Axle (see notice at end of page 2)							
	1997 - 2000	DANA	Model 35	27	10		2311S2
Rear Axle							
	1997 - 2000	FORD	8.8" rg	31	10		1822

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

OLDSMOBILE

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	POWERTRAX No-Slip Traction System	
							Open	Gov Lock
Cutlass								
Rear Axle								
	1985 - 1988	GM	8.5" rg	28	10	V8	92-0785-2805	
	1978 - 1988	GM	7.5" rg	26	10		92-0775-2605	
	1977	GM	8.875" rg	30	12	V8-396 Eng. Or larger	92-0788-3005	
	1973 - 1977	GM	8.5" rg	28	10		92-0785-2805	
	1973 - 1976	GM	8.875" rg	31		Station Wagon		
	1961 - 1970	GM	8.2" rg	28	10		Spring 2001	
F-85								
Rear Axle								
	1971 - 1972	GM	8.5" rg	28	10		92-0785-2805	
	1969	GM	8.875" rg	30	12		92-0788-3005	
	1967 - 1969	GM	8.2" rg	28	10		Spring 2001	
Starfire								
Rear Axle								
	1975 - 1980	GM	7.5" rg	26	10		92-0775-2605	
	1976 - 1977	GM	6.5" rg					
Sunbird								
Rear Axle								
	1976 - 1980	GM	7.5" rg	26	10		92-0775-2605	
	1976 - 1977	GM	6.5" rg					
Bravado								
Front Axle (see notice at bottom of page)								
	1991 - 2000	GM	7.2" rg	26				
Rear Axle								
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	92-0785-3005	
	1991 - 2000	GM	7.625" rg	28	10	4WD V6	92-0776-2805	92-0776-2885

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax No-Slip Traction System works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Powertrax No-Slip Traction System should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Powertrax No-Slip Traction System on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

PLYMOUTH

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right Open
Barracuda							
Rear Axle							
	1968 - 1974	CHRYSLER	8.75" rg	30	10	All W/Removable carrier	1240
	1970 - 1971	DANA	Model 60	30	10	V8-426/440	2610
	1964 - 1971	CHRYSLER	7.25" rg	25	9		
Prowler							
Rear Axle							
	1997 - 2000	DANA	Model 44	30			
Valiant							
Rear Axle							
	1973 - 1976	CHRYSLER	8.25" rg	27	10	V8-318	1230
	1962 - 1976	CHRYSLER	7.25" rg	25	9	6 Cyl	
	1966 - 1972	CHRYSLER	8.75" rg	30	10	V8-360	1240
Volare							
Rear Axle							
	1976 - 1980	CHRYSLER	8.25" rg	27	10	V8	1230
	1976 - 1980	CHRYSLER	7.25" rg	25	9	6 Cyl	

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

PONTIAC

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Astre							
Rear Axle							
	1976 - 1977	GM	6.5" rg				
	1975 - 1977	GM	7.5" rg	26	10		1930
Firebird							
Rear Axle							
	1993 - 2000	ZEXEL				Z28/Y87	
	1990 - 2000	GM	7.625" rg	28	10	V6 manual trans	1931
	1987 - 1989	GM	7.75" rg		9	V8 w/o Z87	
	1982 - 1984	GM	7.5" rg	26	10	4 cyl/V6 auto	1930
	1971 - 1981	GM	8.5" rg	28	10	All	1920
	1967 - 1970	GM	8.2" rg	28	10	6 cyl	1940
	1967 - 1970	GM	8.875" rg	30	12	V8	1910
Grand Prix							
Rear Axle							
	1978	GM	7.5" rg	26	10		1930
	1973 - 1977	GM	8.5" rg	28	10		1920
	1973 - 1976	GM	8.875" rg	31		Station Wagon	
	1969 - 1972	GM	8.2" rg	28	10		1940
	1969 - 1970	GM	8.875" rg	30	12		1910
LeMans							
Rear Axle							
	1978 - 1981	GM	7.5" rg	26	10		1930
	1977	GM	8.875" rg	30	12		1910
	1973 - 1977	GM	8.5" rg	28	10		1920
	1973 - 1976	GM	8.875" rg	31		Station Wagon	
Phoenix							
Rear Axle							
	1977 - 1979	GM	8.5" rg	28	10		1920
	1977 - 1979	GM	7.5" rg	26	10		1930
Tempest							
Rear Axle							
	1970 - 1972	GM	8.875" rg	30	12		1910
	1964 - 1969	GM	8.2" rg	28	10		1940

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

SUZUKI

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right	
							Open	
Samurai								
Front Axle (see notice at bottom of page)								
1989 - 1995								
1986 - 1988								1510
Rear Axle								
1989 - 1998								1510 or 1530
SUZUKI								
6.9" rg								
26								
10								
See notice #3								
Sidekick								
Front Axle (see notice at								
1989 - 1998								
Rear Axle								
1989 - 1995								1512 or 1532
SUZUKI								
6.9" rg								
26								
10								
See notice #3								
Vitara								
Front Axle (see notice at bottom of page)								
1999 - 2000								
Rear Axle								
1999 - 2000								
Grand Vitara								
Front Axle (see notice at bottom of page)								
1999 - 2000								
Rear Axle								
1999 - 2000								

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

NOTICE REGARDING SUZUKI SIDEGEARS

Lock-Right models #1510 and #1512 are designed to work with the stock sidegears in the vehicle. Powertrax supplies gears that mate with these sidegears. These units work exceptionally well except on vehicles with a high amount of mileage and therefore worn sidegears. Rather than replacing the sidegears with factory gears, simply install Lock-Right model #1530 or #1532. Lock-Right models #1530 and #1532 replace the factory sidegears.

TOYOTA

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
4Runner							
Front Axle (see notice at end of page 2)							
	1986 - 2000	TOYOTA	7.5" rg	27		All	1611
	1984 - 1985	TOYOTA	8" rg	30		All	1610
Rear Axle							
	1986 - 2000	TOYOTA	8" rg	30		V6	1620
	1984 - 1989	TOYOTA	8" rg	30		except V6	1610
Land Cruiser							
Front Axle (see notice at end of page 2)							
	1998 - 2000	TOYOTA	9.5" rg				
	1990 - 1997	TOYOTA	8" rg	30			1610
	1969 - 1989	TOYOTA	8.875" rg	30	12		1630
	1950 - 1968	TOYOTA	8.875" rg	10			1631
Rear Axle							
	1998 - 2000	TOYOTA					
	1969 - 1997	TOYOTA	8.875" rg	30	12		1630
	1950 - 1968	TOYOTA	8.875" rg	10			1631
Pick-Up							
Front Axle (see notice at end of page 2)							
	1986 - 1995	TOYOTA	7.5" rg	27		IFS	1611
	1979 - 1985	TOYOTA	8" rg	30		Beam axle	1610
Rear Axle							
	1985 - 1995	TOYOTA	8" rg	30		w/ V6 or Turbo 4 cyl	1620
	1969 - 1995	TOYOTA	7.5" rg	27		All 2WD , 4 cyl.	1611
	1969 - 1995	TOYOTA	8" rg	30		All 4WD, 4 cyl	1610
T-100							
Front Axle (see notice at end of page 2)							
	1993 - 1998	TOYOTA	7.5" rg	27			1611
Rear Axle							
	1993 - 1998	TOYOTA	8" rg	30			1615
Tacoma 4X2							
Rear Axle							
	2000	TOYOTA				4 cyl	
	1995 - 1999	TOYOTA	7.5" rg	27		4 cyl	1611
	1995 - 1999	TOYOTA	8" rg	30		V6	1615
Tacoma 4X4							
Front Axle (see notice at end of page 2)							
	2000	TOYOTA				All	
	1995 - 1999	TOYOTA	7.5" rg	27		All	1611
Rear Axle							
	2000	TOYOTA				All	
	1995 - 1999	TOYOTA	8" rg	30		All	1615

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Lock-Right
							Open
Tundra							
Front Axle (see notice at end of page 2)							
2000							
Rear Axle							
1999 - 2000		TOYOTA	8" rg	30			1615

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Lock-Right Locker should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Lock-Right Locker on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.